

Safe@Office 500 Series					Safe@Office 1000N Series																																																																																																			
<table border="1"> <thead> <tr> <th>Safe@Office 500</th> <th>500W</th> <th>500W</th> <th>500W ADSL</th> <th>500W ADSL</th> </tr> </thead> <tbody> <tr> <td>Firmware Version</td> <td colspan="4">Embedded NGX 8.1</td> </tr> <tr> <td>Concurrent Users</td> <td colspan="4">5</td> </tr> </tbody> </table>					Safe@Office 500	500W	500W	500W ADSL	500W ADSL	Firmware Version	Embedded NGX 8.1				Concurrent Users	5				<table border="1"> <thead> <tr> <th>Safe@Office 1000N</th> <th>1000N</th> <th>1000N</th> <th>1000N ADSL</th> <th>1000N ADSL</th> </tr> </thead> <tbody> <tr> <td>Firmware Version</td> <td colspan="4">Embedded NGX 8.2</td> </tr> <tr> <td>Concurrent Users</td> <td colspan="4">25/Unlimited</td> </tr> </tbody> </table>					Safe@Office 1000N	1000N	1000N	1000N ADSL	1000N ADSL	Firmware Version	Embedded NGX 8.2				Concurrent Users	25/Unlimited																																																																				
Safe@Office 500	500W	500W	500W ADSL	500W ADSL																																																																																																				
Firmware Version	Embedded NGX 8.1																																																																																																							
Concurrent Users	5																																																																																																							
Safe@Office 1000N	1000N	1000N	1000N ADSL	1000N ADSL																																																																																																				
Firmware Version	Embedded NGX 8.2																																																																																																							
Concurrent Users	25/Unlimited																																																																																																							
Hardware Features					Hardware Features																																																																																																			
<table border="1"> <thead> <tr> <th></th> <th>500W</th> <th>500W</th> <th>500W ADSL</th> <th>500W ADSL</th> </tr> </thead> <tbody> <tr> <td>Firewall Throughput (Mbps)</td> <td colspan="4">190</td> </tr> <tr> <td>VPN Throughput (Mbps)</td> <td colspan="4">35</td> </tr> <tr> <td>Concurrent Firewall Connections</td> <td colspan="4">8,000</td> </tr> <tr> <td>LAN Switch</td> <td colspan="4">4 Ports, 10/100 Mbps</td> </tr> <tr> <td>WAN Port</td> <td>10/100 Mbps</td> <td colspan="3">ADSL2+</td> </tr> <tr> <td>DMZ/WAN2 Port</td> <td colspan="4">10/100Mbps</td> </tr> <tr> <td>Console Port (Serial)</td> <td colspan="4">✓</td> </tr> <tr> <td>Wall Mounting Kit</td> <td colspan="4">✓</td> </tr> </tbody> </table>						500W	500W	500W ADSL	500W ADSL	Firewall Throughput (Mbps)	190				VPN Throughput (Mbps)	35				Concurrent Firewall Connections	8,000				LAN Switch	4 Ports, 10/100 Mbps				WAN Port	10/100 Mbps	ADSL2+			DMZ/WAN2 Port	10/100Mbps				Console Port (Serial)	✓				Wall Mounting Kit	✓				<table border="1"> <thead> <tr> <th></th> <th>1000N</th> <th>1000N</th> <th>1000N ADSL</th> <th>1000N ADSL</th> </tr> </thead> <tbody> <tr> <td>Firewall Throughput (Mbps)</td> <td colspan="4">1,000</td> </tr> <tr> <td>VPN Throughput (Mbps)</td> <td colspan="4">200</td> </tr> <tr> <td>Concurrent Firewall Connections</td> <td colspan="4">60,000</td> </tr> <tr> <td>LAN Switch</td> <td colspan="4">4 Ports, 10/100/1000 Mbps</td> </tr> <tr> <td>WAN Port</td> <td>10/100/1000 Mbps</td> <td colspan="3">ADSL 2/2+</td> </tr> <tr> <td>DMZ/WAN2 Port</td> <td colspan="4">10/100/1000 Mbps</td> </tr> <tr> <td>USB Ports</td> <td>0</td> <td>2</td> <td>2</td> <td>1</td> </tr> <tr> <td>SFP Port</td> <td colspan="2">0</td> <td>1</td> <td>0</td> </tr> <tr> <td>ExpressCard 3G Modem</td> <td colspan="2"></td> <td colspan="2">✓</td> </tr> </tbody> </table>						1000N	1000N	1000N ADSL	1000N ADSL	Firewall Throughput (Mbps)	1,000				VPN Throughput (Mbps)	200				Concurrent Firewall Connections	60,000				LAN Switch	4 Ports, 10/100/1000 Mbps				WAN Port	10/100/1000 Mbps	ADSL 2/2+			DMZ/WAN2 Port	10/100/1000 Mbps				USB Ports	0	2	2	1	SFP Port	0		1	0	ExpressCard 3G Modem			✓	
	500W	500W	500W ADSL	500W ADSL																																																																																																				
Firewall Throughput (Mbps)	190																																																																																																							
VPN Throughput (Mbps)	35																																																																																																							
Concurrent Firewall Connections	8,000																																																																																																							
LAN Switch	4 Ports, 10/100 Mbps																																																																																																							
WAN Port	10/100 Mbps	ADSL2+																																																																																																						
DMZ/WAN2 Port	10/100Mbps																																																																																																							
Console Port (Serial)	✓																																																																																																							
Wall Mounting Kit	✓																																																																																																							
	1000N	1000N	1000N ADSL	1000N ADSL																																																																																																				
Firewall Throughput (Mbps)	1,000																																																																																																							
VPN Throughput (Mbps)	200																																																																																																							
Concurrent Firewall Connections	60,000																																																																																																							
LAN Switch	4 Ports, 10/100/1000 Mbps																																																																																																							
WAN Port	10/100/1000 Mbps	ADSL 2/2+																																																																																																						
DMZ/WAN2 Port	10/100/1000 Mbps																																																																																																							
USB Ports	0	2	2	1																																																																																																				
SFP Port	0		1	0																																																																																																				
ExpressCard 3G Modem			✓																																																																																																					

Firewall & Security Features					Slot		
	500	500	500	500	Console Port (Serial)		✓
	0	W	AD SL	W AD SL	Cellular Connectivity		✓
Check Point Patented Stateful Inspection Firewall					Wall Mounting Kit		✓
					Firewall & Security Features		
Application Intelligence (IPS)						100	1000
Instant Messenger and P2P Blocking/Monitoring					100	1000	100
Port-based and Tag-based VLAN					0N	NW	0N
Network Access Control (802.1x)					0N	NW	AD
Integrated RADIUS Server							SL
Secure HotSpot (Guest Access)							L
Add-on Services**					Check Point Patented Stateful Inspection Firewall		✓
	500	500	500	500	Application Intelligence (IPS)		✓
	0	W	ADS L	W ADS L	Instant Messenger and P2P Blocking/Monitoring		✓
Gateway Antivirus					Port-based and Tag-based VLAN		✓*
					Network Access Control (802.1x)		✓*
					Integrated RADIUS Server		✓
					Secure HotSpot		✓*

Antivirus Supported Protocols	HTTP, FTP, NBT, POP3, IMAP, SMTP User-defined TCP and UDP ports
On the fly decompression	✓
Embedded Antispam	✓
Web Filtering	✓

VPN

	500 0	500 W	500 ADS L	500 W ADS L
Remote Access Client Software	Check Point VPN-1® SecuRemote™ (included)/L2TP IPSec VPN client, Endpoint Connect VPN client			
Site-to-site VPN	✓			
Remote Access VPN	✓			
VPN Tunnels	100 (with management)			
Remote Access VPN Profiles	5/25*			
Site-to-site VPN Profiles	2/15*			
IPSec Features	Hardware accelerated DES, 3DES, AES, MD5, SHA-1 Hardware			

(Guest Access)	
-----------------------	--

Add-on Services**

	1000 N	1000N W	1000 N ADS L	1000N W ADSL
Gateway Antivirus	✓			
Antivirus Supported Protocols	HTTP, FTP, NBT, POP3, IMAP, SMTP User-defined TCP and UDP ports			
On the Fly Decompression	✓			
Embedded Antispam	✓			
Web Filtering	✓			

VPN

	1000 N	1000N W	1000 N ADS L	1000N W ADSL
Remote Access Client Software	Check Point VPN-1® SecuRemote™ (included)/L2TP IPSec VPN client, Endpoint Connect VPN client			
Site-to-site VPN	✓			
Remote Access VPN	✓			
VPN Tunnels	400 (with management)			

	Random Number Generator (RNG), Internet Key Exchange (IKE), Perfect Forward Secrecy (PFS), IPSec Compression, IPSec NAT Traversal (NAT-T)
L2TP VPN Server	✓

Networking

500 ADSL	500 W	500 ADSL	500 W ADSL
----------	-------	----------	------------

Supported Standards	Static IP, DHCP, PPPoE, PPTP, Telstra	Static IP, DHCP, PPPoE, PPTP, Telstra, EoA, PPPoA
----------------------------	---------------------------------------	---

Backup ISP and Load Balancing	✓
--------------------------------------	---

Dialup Backup	Serial	USB, Serial	USB, Serial	USB
----------------------	--------	-------------	-------------	-----

Traffic Shaper (QoS)	Basic/Advanced*
-----------------------------	-----------------

Automatic Gateway Failover (HA)	✓*
--	----

Dynamic	OSPF, BGP*
----------------	------------

Remote Access VPN Profiles	5/Unlimited*
-----------------------------------	--------------

Site-to-site VPN Profiles	2/Unlimited*
----------------------------------	--------------

IPSec Features	Hardware accelerated DES, 3DES, AES, MD5, SHA-1, Hardware Random Number Generator (RNG), Internet Key Exchange (IKE), Perfect Forward Secrecy (PFS), IPSec Compression, IPSec NAT Traversal (NAT-T)
-----------------------	---

L2TP VPN Server	✓
------------------------	---

Networking

1000 N	1000N W	1000 N ADSL	1000N W ADSL
--------	---------	-------------	--------------

Supported Standards	Static IP, DHCP, PPPoE, PPTP, Telstra
----------------------------	---------------------------------------

Backup ISP and Load Balancing	✓
--------------------------------------	---

Dialup Backup	Serial	USB, Serial
----------------------	--------	-------------

Traffic Shaper (QoS)	Basic/Advanced*
-----------------------------	-----------------

Automatic Gateway	✓*
--------------------------	----

	0	W	ADS	W
	0	W	ADS	W
	0	W	ADS	W
	0	W	ADS	W
Wireless Protocols				802.11b (11Mbps), 802.11g (54Mbps), Super-G (108Mbps)
Wireless Security				VPN over Wireless, WEP, WPA2 (802.11i), WPA-PSK, 802.1x
Wireless Distribution System (WDS)				✓*
Multiple Access Points				✓*
<p>* Requires Power Pack upgrade ** Requires additional purchase of service *** Super-G and XR mode only available with select wireless network adapters. Actual ranges are subject to change in different environments</p>				
Hardware Specifications	50	500	500	500
	0	W	ADS	W
	0	W	ADS	W
	0	W	ADS	W
Physical Dimensions (WxHxD)				200 X 33 X 122 mm *
Temperature				-5°C ~ 80° C (Storage/Transport), 0°C ~ 40°C (Operation)
Weight				1.45 Kg (3.197lbs)
Regulatory Compliance				FCC Part 15 Class B, CE
Environmental Standards				RoHS, WEEE
Warranty				One Year Hardware

Standard	(G.992.2) ANNEX A (ADSL over POTS), ANNEX B (ADSL over ISDN)			
Wireless Specifications***				
	UT M-1 Edge N	UTM-1 Edge NW	UT M-1 Edge N ADSL	UTM-1 Edge NW ADSL
Wireless Protocols		802.11b (11Mbps), 802.11g (54Mbps), 802.11n (300Mbps)		802.11b (11Mbps), 802.11g (54Mbps), 802.11n (300Mbps)
Wireless Security		VPN over Wireless, WEP, WPA2 (802.11i), WPA-PSK, 802.1x		VPN over Wireless, WEP, WPA2 (802.11i), WPA-PSK, 802.1x
Wireless Distribution System (WDS)		✓*		✓*
Multiple Access Points		✓*		✓*
Hardware Specifications				
Physical Dimensions (WxHxD)	Wired models: 200 x 33 x 122 mm Wireless models: 200 x 33 x 130 mm			

* 500W ADSL has dimensions of 200 X 33 X 130 mm

THE TECHNOLOGY INSIDE

Safe@Office is based on Embedded NGX™ with Application Intelligence technology, which incorporates Check Point's market-leading Firewall-1® and VPN-1® software, optimized for embedded platforms. Embedded NGX is developed by SofaWare Technologies, a Check Point company.

Temperature

-5°C ~ 80° C
(Storage/Transport),
0°C ~ 40°C
(Operation)

Weight

1.45 Kg (3.197lbs)

Regulatory Compliance

FCC Part 15 Class
B, CE

Environmental Standards

RoHS, WEEE

